

Starting from 2013, our products are provided on 2 GB or larger memory cards. Always make sure your GPS chartplotter is compatible. Some GPS chartplotters may be compatible with 2 GB memory cards but may still have difficulty with large file sizes.

Model	Format	NAVIONICS+ NAVIONICS Updates	NAVIONICS+ NAVIONICS Regions NAVIONICS Updates	Platinum+ HotMaps	ADVANCED FEATURES			
		Blank (Downloadable)	Preloaded	Preloaded	Dock-to-dock Autorouting	SonarChart™ Live	Advanced Map Options	Plotter Sync
<b>ACTIA</b> Actia	MSD							
<b>B&amp;G</b> Zeus <sup>3</sup> 7, 9, 12, 16; Vulcan 5, 7, 9, 12	SD/MSD				✓		✓	✓
Zeus <sup>2</sup> 7, 9, 12	SD/MSD				✓		✓	
Zeus Touch 7, 8, 12; Zeus 8, 12	SD/MSD							
<b>DELORME</b> Earthmate PN-60, PN-40, PN-30	MSD							
<b>MAESTRO</b> Mach-7	CF/MSD							
<b>FURUNO</b> NavNet VX2	SD/MSD							
<b>geonak</b> G12; G10	SD/MSD							
<b>HUMMINBIRD</b> ONIX 8ci Combo, 8ci SI Combo, 10ci Combo, 10ci SI Combo; ION 10, 12	MSD							
SOLIX 12, SI; SOLIX 15, SI								
HELIX 12 CHIRP MEGA SI GPS G2N, CHIRP GPS G2N, CHIRP DI GPS G2N, CHIRP SI GPS G2N, CHIRP SI GPS, CHIRP SI GPS KVD, CHIRP DI GPS, CHIRP GPS								
HELIX 10 CHIRP MEGA SI GPS G2N, CHIRP GPS G2N, CHIRP DI GPS G2N, CHIRP SI GPS G2N, SI GPS KVD, SI GPS, DI GPS, SONAR GPS								
HELIX 9 CHIRP MEGA SI GPS G2N, CHIRP GPS G2N, CHIRP DI GPS G2N, CHIRP SI GPS G2N, SI GPS KVD, SI GPS, DI GPS, SONAR GPS	MSD							
HELIX 7 CHIRP GPS G2, CHIRP GPS G2N, CHIRP DI GPS G2, CHIRP DI GPS G2N, CHIRP SI GPS G2, CHIRP SI GPS G2N								
HELIX 5 CHIRP GPS G2, CHIRP GPS G2 PT, CHIRP DI GPS G2, CHIRP SI GPS G2								
1199CI HD SI, 1199CI HD SI KVD, 1198c SI, 1197, 1159CI HD, 1159CI HD XD, 1159CI HD DI, 1158c, 1158c DI, 1157, 1155								
999CI HD SI, 999CI HD SI KVD, 998c HD SI, 998c SI, 998, 997, 967, 959CI HD, 959CI HD XD, 959CI HD DI, 958c HD, 958c HD DI, 958, 957, 955, 947, 937, 917	SD/MSD							
899CI HD SI, 899CI HD SI NAV, 899CXI HD SI, 898c HD SI, 859CI HD, 859CI HD XD, 859CI HD DI, 858c HD, 858c HD DI, 858;								
987, 798ci HD SI, 798, 797, 788ci HD, 788ci HD DI, 788ci HD Combo CHO, 787, 786, 785, 767, 757, 755, 737, 698CI HD SI, 698CI HD SI KVD, 688CI HD, 688CI HD DI, 688CI HD XD, 688 ci HD DI KVD NAV; 598ci HD SI, 597ci HD, 597ci HD DI, 597, 587ci HD, 587;	SD/MSD							
HELIX 5 DI GPS, XD GPS, SONAR GPS, GPS, SI GPS, SI GPS KVD	MSD							
HELIX 7 SI GPS, SI GPS KVD, DI GPS, SONAR GPS, GPS, X GPS								
768, 581i, 581, 580i, 580, 398ci SI, 386ci, 386ci DI, 385ci, 385ci DI, 365i, 365	SD/MSD							
595c	SD/MSD							

**IMPORTANT:** Always make sure your GPS chartplotter is updated to the latest firmware release from OEM for the best performance.

Nautical Chart    
 SonarChart™    
 Community Edits  
 on Plotter    
 with embedded Wi-Fi    
 with GoFree    
 with Sonar Server by Digital Yacht

1 Use SonarChart™ Live on mobile to automatically share sonar logs with Navionics.

Starting from 2013, our products are provided on 2 GB or larger memory cards. Always make sure your GPS chartplotter is compatible. Some GPS chartplotters may be compatible with 2 GB memory cards but may still have difficulty with large file sizes.

Model	Format	NAVIONICS+ NAVIONICS Updates	NAVIONICS+ Regions NAVIONICS Updates	Platinum+ HotMaps	ADVANCED FEATURES										
		Blank (Downloadable)	Preloaded	Preloaded	Dock-to-dock Autorouting	SonarChart™ Live	Advanced Map Options	Plotter Sync							
<b>LOWRANCE</b> <sup>1</sup> <b>HDS Gen3</b> 7, 9, 12; <b>HDS Carbon</b> 7, 9, 12, 16	SD/MSD														
<b>Elite Ti</b> 5, 7, 9, 12	SD/MSD														
<b>HDS Gen2 Touch</b> 7, 7m, 9, 9m, 12, 12m; <b>HDS Gen2</b> 5, 5m, 7, 7m, 8, 8m, 10, 10m	SD/MSD														
<b>HDS Gen1</b> 5, 5m, 7, 7m, 8, 8m, 10, 10m	SD/MSD														
<b>Hook<sup>2</sup> Combo</b> 5, 7, 9, 12	SD/MSD														
<b>Elite</b> 4 HDI, 5 HDI, 7 HDI, 4 CHIRP, 5 CHIRP, 7 CHIRP, 9 CHIRP; <b>Mark</b> 4 HDI, 4 CHIRP; <b>Hook</b> 4, 5, 7, 9	SD/MSD <sup>2</sup>														
<b>Elite</b> 7 Broadband, 7M Gold	SD/MSD														
<b>Elite</b> 4, 4DS, 4m, 4m HD, 5, 5 DSI, 5m, 5m HD; <b>Mark</b> 4 (MicroSD only); <b>LMS</b> 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; <b>LCX</b> 113c HD, 112c, 37c, 28c HD, 27c; <b>GlobalMap</b> 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150	SD/MSD														
<b>eXplorist</b> 510, 610, 710	SD/MSD														
<b>RT-9</b>	MSD														
<b>Viper 2</b>	MSD														
<b>Viper 1</b>	MSD														
<b>HelmView</b> HV1000i, HV700T, HV700, HV450	SD/MSD														
<b>NORTHSTAR</b> <sup>3</sup> <b>6100i</b> (requires S/W update 7.76); <b>6000i</b>	CF														
<b>Raymarine</b> <b>e-Series</b> 7, 7D, 95, 97, 125, 127, 165 <b>c-Series</b> 95, 97, 125, 127 <b>a-Series</b> 6, 7, 9, 12, 65, 67, 68, 75, 77, 78, 95, 97, 98, 125, 127, 128	MSD														
<b>eS-Series</b> 7, 9, 12, 75, 77, 78, 97, 98, 127, 128 <b>gS-Series</b> 95, 125, 165, 195	MSD														
<b>Axiom PRO</b> 9, 12, 16 ; <b>Axiom</b> 7, 9, 12	MSD														
<b>Dragonfly</b> 4 PRO, 5 PRO, 7 PRO	MSD														
<b>Dragonfly</b> 5 M, 6, 7	MSD														
<b>G-Series</b> G120, G150, G170, G190, GPM400 <b>E-Series</b> E120, E80 <b>E-Series Widescreen</b> E140W, E120W, E90W <b>C-Series Widescreen</b> C140W, C120W, C90W <b>A-Series</b> 70, 70D, 57, 57D, 50, 50D	CF														
<b>C-Series</b> C120; C80; C70	CF <sup>2</sup>														
<b>Raychart</b> 400, 435, 435i	CF														

**IMPORTANT:** Always make sure your GPS chartplotter is updated to the latest firmware release from OEM for the best performance.

Nautical Chart   
 SonarChart™   
 Community Edits  
 on Plotter   
 with embedded Wi-Fi   
 with GoFree   
 with Sonar Server by Digital Yacht

<sup>1</sup> Use SonarChart™ Live on mobile to automatically share sonar logs with Navionics.  
<sup>2</sup> Latest firmware release is required to run memory cards over 2 GB.  
<sup>3</sup> Of the Platinum features, Satellite Overlay, Panoramic Photos and Pilot Books are compatible.

Starting from 2013, our products are provided on 2 GB or larger memory cards. Always make sure your GPS chartplotter is compatible. Some GPS chartplotters may be compatible with 2 GB memory cards but may still have difficulty with large file sizes.

Model	Format	NAVIONICS+ NAVIONICS Updates	NAVIONICS+ NAVIONICS Regions Updates	Platinum+ NAVIONICS HotMaps	ADVANCED FEATURES				
		Blank (Downloadable)	Preloaded	Preloaded	Dock-to-dock Autorouting	SonarChart™ Live	Advanced Map Options	Plotter Sync	
<b>SAMYUNG ENC</b> NAVIS 2500, 2600, 3000, 3100, 3700, 3800, 5100, 700, 800; N/NF 100, 120, 3800, 430, 5100, 560, 700, 800 AIS 50N	SD/MSD								
	SD/MSD								
<b>SIMRAD</b> <sup>1</sup> NSS evo3 7, 9, 12, 16; GO XSE 5, 7, 9; GO 7, 9, 12 NSS evo2 7, 9, 12, 16, 7m, 9m	SD/MSD								
	SD/MSD								
<i>Processor supporting external monitor (size range: 15 - 24 depending on buyers' choice)</i> <b>NSO evo2</b> NSO; NSE 8, 12; NSS 7, 8, 12	SD/MSD								
	SD/MSD								
<b>SITEX</b> <sup>1</sup> SAS-300, SVS-460, SVS-460 4, SVS-560, SVS-560 5, SVS-750, SVS-760, SVS-760 7, SVS-880, SVS-1010	SD/MSD								

**IMPORTANT:** Always make sure your GPS chartplotter is updated to the latest firmware release from OEM for the best performance.

### NAVIONICS ADVANCED FEATURES

Available when using a card that has an active daily chart updates subscription (included for one year if registered within two months of purchase). Also make sure your plotter has an updated software version installed.

**Dock-to-dock Autorouting**, a unique breakthrough in boating navigation, quickly creates detailed routes from a real start point to a real end point, even through narrow passages and channels, based on chart data and navigation aids.

**SonarChart™ Live** allows you to create new personal 1 ft HD bathymetry maps that display in real time on your plotter or mobile device screen while navigating. The new chart resides on your device for private use. Possible methods:

- Use your plotter with a sonar to enable SonarChart™ Live and see it directly on the display.
- Use **built-in Wi-Fi** to connect your plotter/sonar to Navionics Boating app to enable SonarChart™ Live on your mobile. Depth data collected can also be sent automatically to Navionics to enhance SonarChart™.
- Use **GoFree WIFI-1 Module** to connect your plotter/sonar to Navionics Boating app to enable SonarChart™ Live on your mobile. Depth data collected can also be sent automatically to Navionics to enhance SonarChart™.
- Use **Sonar Server by Digital Yacht** to connect your plotter/sonar to Navionics Boating app to enable SonarChart™ Live on your mobile. Depth data collected can also be sent automatically to Navionics to enhance SonarChart™.

**Advanced Map Options** gives customized views of Navionics charts to highlight shallow areas, target a fishing range and adjust SonarChart™ contour density.

**Plotter Sync** connects plotter and mobile wirelessly and allows you to transfer routes and markers. You can also update charts and activate or renew the subscription of your eligible plotter card. With Raymarine models, it is also possible to upload sonar logs to enhance SonarChart™.

PC APPLICATION	NAVIONICS+ NAVIONICS Updates	NAVIONICS+ NAVIONICS Regions Updates	Platinum+ NAVIONICS HotMaps
	Blank (Downloadable)	Preloaded	Preloaded
TMQ C-plot Nav+			
Raymarine Voyage Planner, Lowrance Insight Planner, Simrad Insight Planner, B&G Insight Planner			
Digital Yacht's Smartertrack, Navigation Planner, PC Plotter, P-Sea			

- Nautical Chart
- Community Edits
- SonarChart™
- on Plotter
- with embedded Wi-Fi
- with GoFree
- with Sonar Server by Digital Yacht

<sup>1</sup> Use SonarChart™ Live on mobile to automatically share sonar logs with Navionics.